Selector® 3700 Series Mortice Locks



We take the worry out of protecting what's valuable to you. Lockwood: no worries®







Contents



Selector® 3770 Series

Standard Backset Mortice Locks

page 5



Selector® 3770

Mortice Nightlatches

page 8



Selector® 3772

Escape Locks

page 11



Selector® 3774

Passage Latch

page 17



Selector® 3774

Combination Locks

page 20



Selector® 3777

Dual Entry Locks

page 25



Selector® Privacy

Privacy Locks

page 28



Selector® 3772 DX Digital

DX Digital Mortice Locks

page 32



Selector® 3772 DX Digital

Key Override DX Digital Mortice Locks

page 35



Selector® 3770 Series Accessories

Standard Backset Mortice Lock Accessories

page 38



Selector® 3770 Series Function Guides

Function Chart, Synergy® Conversion Chart and Functioning Matrix

page 43



Selector® 3780 Series

Short Backset Mortice Locks

page 47

Contents



Selector® 3782

Short Backset Escape Locks

page 50



Selector® 3784

Short Backset Combination Locks

page 55



Selector® 3787

Short Backset Dual Entry Locks

page 60



Selector® 3782 DX Digital

Short Backset DX Digital Mortice Locks

page 63



Selector® 3782 DX Digital

Short Backset Key Override DX Digital Series

page 66



Selector® 3780 Series Accessories

Short Backset Mortice Lock Accessories

page 69



Selector® 3780 Series Function Guides

Function Chart, Synergy Conversion Chart and Functioning Matrix

page 76



Selector® 3770 Series Mortice Locks

Selector® 3770 Series Cylinder Mortice Locks

Application

A comprehensive range of cylinder mortice locks suitable for heavy duty use in industrial and commercial buildings, institutions, clubs, schools, hospitals, hotels and similar buildings.

Renefits

- Easy red/green function setting
- All lock settings are made from under the faceplate allowing for simple in-door configuration
- Standard primary locks include anti-lockout and holdback capabilities
- Improved cylinder functions including lock/ unlock and retract latch as standard
- Through-fixing of rose furniture turnknobs and escutcheons
- Reduced range of cylinder cams and turn adaptors relative to other commonly available commercial cylinder mortice locks

Features and Specifications

The Australian designed and built Selector® 3770 Series Cylinder Mortice Locks are made from quality materials to meet high durability and strength requirements.

Case and Faceplates

- High purity zinc alloy material cases with stainless steel chassis plates. Stainless steel faceplates provided as standard.
- Brass faceplates available for alternative finishes

Backset

- 60mm standard backset
- Extended backsets 89mm and 127mm are available - Refer to Function Matrix (Page 43)

Latch Bolts

- Latch bolts are made with stainless steel,
 15mm in size
- Deadlatching is achieved by an auxiliary stainless steel latch bolt
- Reversible for both left and right hand doors, opening in or opening out whilst lock is in door
- Electric Strike compatibility
- Separate auxiliary bolt moves into lock case simultaneously with latch bolt
- Radius bolt provides greater deadlatch throw and smoother closing action

Cylinder Retaining Pin

Hard-drawn spring steel wire, corrosion protected.

Door Thickness

• 32mm to 50mm

Components to facilitate use on thicker doors are available on application.

Door Clearance

To ensure correct functioning of the deadlatching mechanism and security for all locks, the clearance between the door and the frame should be 3mm. The deadlatching will operate up to 8mm door clearance however, door clearances over 5mm are not recommended.

Aluminium Doors

Specify Selector® 3772-AFKIT for aluminium door fixing kit to convert a timber fix lock to suit aluminium door fixing. The aluminium door fixing kit comes with a 156mm by 25mm radius corner faceplate common to other aluminium door locks.

Security

All Selector® 3770 Series Cylinder Mortice Locks conform with Level S7 (Physical Security) Australian Lock Standard (AS-4145.2-2008). Conforms to Level S8 (Physical Security) when fitted with door furniture and anti-drill cylinder.

Durability

All Selector® 3770 Series Cylinder Mortice Locks conform with Level D8 (Durability) Australian Lock Standard (AS 4145.2-2008).

Fire Rating

All Selector® 3770 Series Mortice Locks have been successfully tested up to 4 hours (depending on type of doorset) on fire door assemblies in accordance with Australian Standard AS 1905.1-2005, Part 1: Fire Resistant Doorsets*.

Anti-Corrosion

All Selector® 3770 Series Cylinder Mortice Locks conform with Level C6 (168 hours) Australian Lock Standard (AS4145.2-2008).

Cylinder

Requires standard Lockwood oval shaped brass cylinders and brass barrels. Lockwood cylinders include bump resistant five pin tumbler mechanism.

Functions require the use of different cams and adaptors.

Keying

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication and can also include specially designed keying systems such as master key systems. This allows for different levels of mechanical access control.

Please refer to assaabloy.com.au for keying systems or contact your local sales office or customer service for specific information.

SS

Standard Finishes

Stainless Steel

Extended Cylinders

Modular Cylinder Extensions are available for thicker doors.

Rebate

Rebate kits to suit 13mm standard rebate are available.

Electric Strikes

Lockwood offers a wide range of electric strikes which are compatible with the Selector® 3770 Series Mortice Locks. Refer to lockweb.com.au for further details.









Note:

*For questions concerning our fire rated products, their specifications and their utilization please contact ASSA ABLOY or relevant Fire Door Manufacturer.

All dimensions depicted in this brochure are in mm.



Selector®3770 Series Cylinder Mortice Locks

1. Multi-function Lock

The new Selector® 3770 Series Mortice Lock was designed to incorporate the full range of lock functions into one primary lock. This reduces stock line items. All functions can be configured by adjusting the hub setting selector, lock function selector as well as using cylinder cams and turn adaptors.

2. Hub Setting Selection

Hub setting can be adjusted via the Selector® 3770 Series hub selector located under the faceplate of the mortice lock. The hub setting allows for three functions: Passage, Combination, or Escape function.

This is done by rotating the dial with a 4mm flat blade screwdriver.

RED - Handle is lockable. Only opened by handle when locking bar is unlocked (up).

GREEN - Opened by handle at all times.

3. Lock Function Setting

The new Selector® 3770 Series Mortice Lock was designed to incorporate a greater range of lock functions into one primary lock. In addition to anti-lockout setting, the Selector® 3770 series also includes an industry first selectable holdback feature.

N - Neutral Lock Factory default Lock operates as a standard lock

A - Anti-lockout Lock Closing the door or retracting the latch bolt unlocks the lock, preventing lockout situations.

H - Holdback Lock Latch bolt can be held within the lock. **Holdback must not be activated on fire doors.**

4. Backset

Standard backset - 60mm. Extended backsets 89mm and 127mm are available

5. Case Assembly

Zinc diecast body with stainless steel chassis plates for improved strength.

6. Furniture Through Fix Holes

Through fixed escutcheons and turnknobs can now be used with the lock, allowing for more robust fixing of door furniture.

7. Cylinder/Adaptor Retention

"Slip Pin" Cylinder/Adaptor fixing method, which allows attachment to the case by inserting a non-threaded cylindrical pin through the front of the lock case.

8. Cylinder Assembly

Five pin tumbler mechanism. Standard Lockwood oval shaped, brass cylinders and brass barrels. Only two newly designed cams needed for all lock functions.

X7 Cam - Retracts latch bolt with additional ability of locking the locking bar.

V Cam - Locks and unlocks the locking bar. Also retracts latch bolt after unlocking lock.

9. Synergy Retrofit

The Selector® 3770 Series Mortice Lock is designed to have an equivalent case size as the Synergy Series Mortice Lock to ensure retrofitability.

10. Kits



Selector®3770 Mortice Nightlatches




Description

These locks have various latching functions operated by a key outside and by a turnknob or key inside.
The mortice nightlatch locks automatically when the door is closed.

Product Details		
Backset	Available in 60, 89 and 127mm backsets.	
Furniture	Compatible with most Lockwood cylinder escutcheons, turnknobs and plate furniture. Refer to lockweb.com.au for further details.	
Latch	Deadlatch only.	
Standard Finishes	Stainless Steel (SS) Other finishes available via finish kit conversions	

Selector® 3770 Mortice Nightlatches






Selector® 3770 Mortice Nightlatches

Part Number	3770	4770	5770
Dimension A	60	89	127
Dimension B	88	117	155

Note: 3772SS Primary Lock can be used to achieve 3770 functions.



Selector®3770 Mortice Nightlatches

Nightlatch with Turn

Part Number 3770-T

Turnknob inside.

Inside: Opened by turnknob.

This function requires the locking bar to be positioned in the locked position once lock is set.

Nightlatch with Cylinder

Part Number 3770X-

Single cylinder.

Outside: Opened by key.

This function requires the locking bar to be positioned in the locked position once lock is set.

Nightlatch with Cylinder and Turn

Part Number 3770XT

Cylinder and turnknob.

Outside: Opened by key.

Inside: Opened by turnknob.

This function requires the locking bar to be positioned in the locked position once lock is set.

Nightlatch with Double Cylinder

Part Number 3770XX


Double cylinder.


Outside: Opened by key. Inside: Opened by key.


This function requires the locking bar to be positioned in the locked position once lock is set.


Notes


All drawings shown are in right hand configuration. Setting instructions only apply if 3772 is used, disregard instructions if using 3770. Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4770, or if 127mm lock is required, substitute 3 for 5 i.e. 5770

















Description

These locks have various latching functions which can be operated by key or handle outside and by turnknob, key or handle inside.

Product Details		
Backset	Available in 60, 89 and 127mm backsets.	
Furniture	Compatible with most Lockwood rose and plate furniture including Brass Door Furniture, Robert Watson Series, Artefact Series II, Ovation Series and VSR Series. Refer to lockweb.com.au for further details.	
Latch	Deadlatch only.	
Standard Finishes	Stainless Steel (SS) Other finishes available via finish kit conversions	








Selector® 3772 Escape Locks

Part Number	3772	4772	5772	
Dimension A	60	89	127	
Dimension R	88	117	155	



Escape Lock

Part Number 3772--

Outside: Handle always rigid.

Inside: Opened by handle at all times.

This function requires the locking bar to be positioned

in the locked position once lock is set.

Anti-vandal Escape Lock

Part Number 3772V-

Single cylinder.

Outside: Opened by handle when unlocked. Key locks and unlocks

outside handle and retracts bolt after unlocking lock.

Inside: Opened by handles at all times.

Anti-vandal Escape Lock with Turn

Part Number 3772VT

Cylinder and turnknob.

Outside: Opened by handle when unlocked. Key locks and unlocks

outside handle and retracts bolt after unlocking lock.

Inside: Opened by handle at all times. Turnknob locks or unlocks

outside handle.

Key Entry Escape Lock

Part Number 3772X-

Single cylinder.

Outside: Opened by key at all times. Handle always rigid.


Inside: Opened by handle at all times.


This function requires the locking bar to be positioned


in the locked position once lock is set.


Notes:


All drawings shown are in right hand configuration. Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4772, or if 127mm lock is required, substitute 3 for 5 i.e. 5772













Key Entry Escape Lock with Turn

Part Number 3772XT

Cylinder and turnknob.

Outside: Opened by key at all times. Opened by handle when

unlocked. Key locks outside handle.

Inside: Opened by handle at all times. Turnknob locks or

unlocks outside handle.

Escape Lock with Internal Cylinder

Part Number 3772-V

Single cylinder.

Outside: Opened by handle when unlocked.

Inside: Opened by handle at all times. Key locks or unlocks outside

handle and retracts bolt after unlocking lock.

Escape Lock with Turr

Part Number 3772-T

Turnknob inside.

Outside: Opened by handle when unlocked.

Inside: Opened by handle at all times. Turnknob locks or unlocks

outside handle.

Anti-vandal Fscape Lock with Internal Cylinder

Part Number 3772VV


Double Cylinder.


Outside: Opened by handle when unlocked. Key locks or unlocks


outside handle and retracts bolt after unlocking lock.


Inside: Opened by handle at all times. Key locks or unlocks outside


 $handle\ and\ retracts\ bolt\ after\ unlocking\ lock.$











Notes:

All drawings shown are in right hand configuration. Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4772, or if 127mm lock is required, substitute 3 for 5 i.e. 5772



Key Entry Escape Lock with Internal Cylinder

Part Number 3772XV

Double cylinder.

Outside: Opened by key at all times. Opened by handle when

unlocked. Key locks outside handle.

Inside: Opened by handle at all times. Key locks or unlocks outside

handle and retracts bolt after unlocking lock.

Anti-lockout Escape Lock with Turn*

Part Number 3772-TA

Turnknob inside.

Outside: Opened by handle when unlocked.

Inside: Opened by handle at all times. Turnknob locks or unlocks

outside handle.

Anti-lockout Anti-vandal Escape Lock with Turn*

Part Number 3772VTA

Cylinder and turnknob.

Outside: Opened by handle when unlocked. Key locks or unlocks

outside handle and retracts bolt after unlocking lock.

Inside: Opened by handle at all times. Turnknob locks or unlocks

outside handle.

Holdback Anti-vandal Escape Lock[‡]

Part Number 3772V-H

Single cylinder.

Outside: Opened by handle when unlocked. Key locks or unlocks

outside handle and retracts bolt after unlocking lock.


Inside: Opened by handle at all times.

Notes:


All drawings shown are in right hand configuration. Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4772, or if 127mm lock is required, substitute 3 for 5 i.e. 5772


 ${}^*\!Anti\!-\!lockout\,-\,Closing\,the\,door\,or\,retracting\,latch\,bolt\,unlocks\,the\,lock, preventing\,lockout\,situations.$


Holdback - Latch bolt can be held within the lock. **Holdback must not be activated on fire doors.**For questions concerning our fire rated products, their specifications and their utilization please contact ASSA ABLOY or relevant Fire Door manufacturer.













Holdback Anti-vandal Escape Lock with Turn#

Part Number 3772VTH

Cylinder and turnknob.

Outside: Opened by handle when unlocked. Key locks or unlocks outside handle and retracts bolt after unlocking lock.

Inside: Opened by handle at all times. Turnknob locks or unlocks

outside handle.



Part Number 3772XVH


Double cylinder.


Outside: Opened by key at all times. Opened by handle when

unlocked. Key locks outside handle.

Inside: Opened by handle at all times. Key locks or unlocks outside

handle and retracts bolt after unlocking lock.






Notes:

All drawings shown are in right hand configuration.

Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4772, or if 127mm lock is required, substitute 3 for 5 i.e. 5772

 ${}^*\!Anti\!-\!lockout\,-\!Closing\,the\,door\,or\,retracting\,latch\,bolt\,unlocks\,the\,lock, preventing\,lockout\,situations.$

#Holdback - Latch bolt can be held within the lock. **Holdback must not be activated on fire doors.** For questions concerning our fire rated products, their specifications and their utilization please contact ASSA ABLOY or relevant Fire Door manufacturer.





Selector® 3774 Passage Latch




Description


The Passage latch only has a plainlatch. It allows operation of outside and inside handles at all times with no locking functions. Ideal for interconnecting doors.

Product Details		
Backset	Available in 60, 89 and 127mm backsets.	
Furniture	Compatible with most Lockwood rose and plate furniture including Brass Door Furniture, Robert Watson Series, Artefact Series II, Ovation Series and VSR Series. Refer to lockweb.com.au for further details.	
Latch	Plainlatch only	
Standard Finishes	Stainless Steel (SS) Other finishes available via finish kit conversions.	

Selector® 3774 Passage Latch








Selector® 3774 Passage Latch Part Number 3774 4774 5774 Dimension A 60 89 127 Dimension B 88 117 155

Note: Passage Latch primary lock only available in 60mm backset (3774). For extended backset options, please order 4772/5772 primary lock and configure accordingly.




Selector® 3774 Passage Latch

Passage Latch

Part Number 3774

No locking function. Plainlatch only. **Outside:** Opened by handle at all times.


Inside: Opened by handle at all times.



Notes

Setting instructions only apply if 3772 is used, disregard instructions if using 3774. All drawings shown are in right hand configuration.

Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4772, or if 127mm lock is required, substitute 3 for 5 i.e. 5772






Description

These locks have various latching functions operated generally by outside or inside handles, except when locked by key outside or by key or turnknob inside.


Product Details		
Backset	Available in 60, 89 and 127mm backsets.	
Furniture	Compatible with most Lockwood rose and plate furniture including Brass Door Furniture, Robert Watson Series, Artefact Series II, Ovation Series and VSR Series. Refer to lockweb.com.au for further details.	
Latch	Deadlatch only.	
Standard Finishes	Stainless Steel (SS) Other finishes available via finish kit conversions.	





Selector® 3774 Combintion Locks				
Part Number	3774	4774		

Part Number	3774	4774	5774
Dimension A	60	89	127
Dimension B	88	117	155



Anti-vandal Lock with Turn

Part Number 3774VT

Cylinder and turnknob.

Outside: Opened by handle when unlocked. Key locks or unlocks both handles and retracts bolt after unlocking lock.

Inside: Opened by handle when unlocked. Turnknob locks or

unlocks both handles.

Anti-vandal Lock with Internal Cylinder

Part Number 3774VV

Double cylinder.

Outside: Opened by handle when unlocked. Key locks or unlocks both handles and retracts bolt after unlocking lock.

Inside: Opened by handle when unlocked. Key locks or unlocks

both handles and retracts bolt after unlocking lock.

Key Entry Lock with Internal Cylinder

Part Number 3774XV


Double Cylinder.


Outside: Opened by key at all times. Opened by handle when


unlocked. Key locks both handles.

Inside: Opened by handle when unlocked. Key locks or unlocks

both handles and retracts bolt after unlocking lock.









All drawings shown are in right hand configuration. Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4774, or if 127mm lock is required, substitute 3 for 5 i.e. 5774



Key Entry Double Cylinder Lock

Part Number 3774XX

Double cylinder.

Outside: Opened by key at all times. Handle always rigid.

Inside: Opened by key at all times. Handle always rigid.

This function requires the locking bar to be positioned in the locked position once lock is set.

Combination Lock with Turr

Part Number 3774-T

Turnknob inside.

Outside: Opened by handle when unlocked.

Inside: Opened by handle when unlocked. Turnknob locks

or unlocks both handles.

Anti-lockout Combination Lock with Turn*

Part Number 3774-TA

Turnknob inside.

Outside: Opened by handle when unlocked.

Inside: Opened by handle when unlocked. Turnknob locks or

unlocks both handles.

Anti-lockout Anti-vandal Lock with Turn*

Part Number 3774VTA

Cylinder and turnknob.

Outside: Opened by handle when unlocked. Key locks or unlocks


both handles and retracts bolt after unlocking lock.


Inside: Opened by handle when unlocked. Turnknob locks or


unlocks both handles.


All drawings shown are in right hand configuration. Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4774, or if 127mm lock is required, substitute 3 for 5 i.e. 5774


*Anti-lockout - Closing the door or retracting latch bolt unlocks the lock, preventing lockout situations.













Part Number 3774VVA

Double cylinder.

Outside: Opened by handle when unlocked. Key locks or unlocks both handles and retracts bolt after unlocking lock.

Opened by handle when unlocked. Key locks or unlocks Inside:

both handles and retracts bolt after unlocking lock.

3774VTH **Part Number**

Cylinder and turnknob.

Outside: Opened by handle when unlocked. Key locks or unlocks both handles and retracts bolt after unlocking lock.

Inside: Opened by handle when unlocked. Turnknob locks or

unlocks both handles.

Part Number 3774VVH

Double cylinder.

Outside: Opened by handle when unlocked. Key locks or unlocks both handles and retracts bolt after unlocking lock.

Inside: Opened by handle when unlocked. Key locks or unlocks

both handles and retracts bolt after unlocking lock.

Part Number 3774XVH

Double cylinder.

Outside: Opened by key at all times. Opened by handle when

unlocked. Key locks both handles.

Inside: Opened by handle when unlocked. Key locks or unlocks


both handles and retracts bolt after unlocking lock.


Notes:


All drawings shown are in right hand configuration. Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4774, or if 127mm lock is required, substitute 3 for 5 i.e. 5774


*Anti-lockout - Closing the door or retracting latch bolt unlocks the lock, preventing lockout situations.


#Holdback - Latch bolt can be held within the lock. Holdback must not be activated on fire doors. For questions concerning our fire rated products, their specifications and their utilization please contact ASSA ABLOY or relevant Fire Door manufacturer.













Selector® 3777 Dual Entry Locks




Description

Designed to enable third parties such as emergency services to enter specific areas by second cylinder; without giving access to all locksets in the building and the ability to lockout keys with restricted access at certain times.

Product Details		
Furniture	Select from Lockwood 1800, 2800 or Artefact Series II ranges. Refer to lockweb.com.au for further details.	
Standard Finishes	Stainless Steel (SS) Other finishes available via finish kit conversions	


Selector® 3777 Dual Entry Locks



Selector® 3777 Dual Entry Locks

Part Number	3777	4777	5777
Dimension A	60	89	127
Dimension B	88	117	155

Note: Order by specifying 3772SS primary lock and 3777-KIT570E Dual Entry Kit. Cylinders must be ordered separately. 3777-KIT577 Dual Entry Kit may also be used to achieve this function in retrofit applications if existing 577 cylinders are present.



117

30

4

Selector® 3777 Dual Entry Locks

Dual Entry Lock

Part Number 3777X-

Two cylinders outside.

Outside: Opened by key. Cylinders are keyed to differ.

Inside: Opened by handle at all times.



Part Number 3777V-


Two cylinders outside.


Outside: Opened by key when unlocked. Upper cylinder key locks

or unlocks lower cylinder and retracts bolt after unlocking

lock. Cylinders are keyed to differ.

Inside: Opened by handle at all times.






Notes:

All drawings shown are in right hand configuration. Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4777, or if 127mm lock is required, substitute 3 for 5 i.e. 5777

*Anti-lockout - Closing the door or retracting latch bolt unlocks the lock, preventing lockout situations.






Description


Privacy locks allow doors to be unlocked from the outside via an emergency button. These locks have various latching functions which can be operated by key or handle outside and by handle inside.


Product Details		
Backset	Available in 60, 89 and 127mm backsets.	
Furniture	Compatible with most Lockwood rose and plate furniture including Brass Door Furniture, Robert Watson Series, Artefact Series II, Ovation Series and VSR Series. Refer to lockweb.com.au for further details.	
Latch	Deadlatch only.	
Standard Finishes	Stainless Steel (SS) Other finishes available via finish kit conversions	





Selector® Privacy Locks				
Part Number	3772	4772	5772	
Dimension A	60	89	127	
Dimension B	88	117	155	





Escape Privacy Lock

Part Number 3772-T

Emergency button and turnknob.

Outside: Opened by handle when unlocked. Emergency button locks or unlocks outside handle - operated by screwdriver or

Inside: Opened by handle at all times. Turnknob locks or unlocks outside handle.

Anti-lockout Escape Privacy Lock*

Part Number 3772-TA

Emergency button and turnknob.

Outside: Opened by handle when unlocked. Emergency button locks or unlocks outside handle - operated by screwdriver or coin.

Inside: Opened by handle at all times. Turnknob locks or unlocks outside handle.

Privacy Lock

Part Number 3774-T

Emergency button and turnknob.

Outside: Opened by handle when unlocked. Emergency button locks or unlocks both handles - operated by screwdriver or coin.

Inside: Opened by handle when unlocked. Turnknob locks or unlocks both handles.

Anti-lockout Privacy Lock*


Part Number 3774-TA


Emergency button and turnknob.


Outside: Opened by handle when unlocked. Emergency button locks or unlocks both handles - operated by screwdriver or coin.

Inside: Opened by handle when unlocked. Turnknob locks or unlocks both handles.

Locking adaptor







Legend Hub Setting Lock Function Setting Cam or Adaptor

Notes

All drawings shown are in right hand configuration. Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4772, or if 127mm lock is required, substitute 3 for 5 i.e. 5772

*Anti-lockout - Closing the door or retracting latch bolt unlocks the lock, preventing lockout situations.

Key Entry Privacy Lock

Part Number 3777-T

Lower cylinder outside, emergency button and turnknob.

Outside: Opened by key when unlocked. Emergency button locks

or unlocks outside key and inside handle - operated by

screwdriver or coin.

Inside: Opened by handle when unlocked. Turnknob locks or

unlocks outside key and inside handle.

Key Entry Anti-lockout Privacy Lock*

Part Number 3777-TA

Lower cylinder outside, emergency button and turnknob.


Outside: Opened by key when unlocked. Emergency button locks


or unlocks outside key and inside handle - operated by

screwdriver or coin.

Inside: Opened by handle when unlocked. Turnknob locks

or unlocks outside key and inside handle.








All drawings shown are in right hand configuration. Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4772, or if 127mm lock is required, substitute 3 for 5 i.e. 5772

*Anti-lockout - Closing the door or retracting latch bolt unlocks the lock, preventing lockout situations.



Selector® 3772 DX Digital Mortice Locks





Description

Lockwood DX Digital Locksets provide a mechanical method of keyless entry and are designed to control access into commercial areas.

For extra security when under forced attack, the inbuilt clutching mechanism allows the outside turnknob to rotate without operating or damaging the lock.

The factory set 4 digit code is easily changed to any 4, 5 or 6 digit code using the code changing kit provided with each lock.

As the digital lockset utilizes mechanical operation, electrical wiring is not required.

Outside Function

Press the C button, enter the correct code, then turn the turnknob to unlock the door. Upon releasing the turnknob the code is automatically cancelled.

Product Details				
Backset	Available in 60, 89 and 127mm backsets.			
Door Thickness	32mm to 50mm			
Finish	Codepad: Satin Chrome Brushed (SC) Mortice Lock: Stainless Steel (SS)			
Codepad Assembly	High purity zinc alloy, 45mm wide, 164mm high, 52mm projection			
Latch	Stainless steel with 15mm projection			

Door Furniture (Lockwood 1800 and 2800 Series) must be ordered separately.

Inside Function

Opened by lever handle at all times.

Holdback Function

A key operated holdback function is available as a lock setting and requires the inclusion of an internal cylinder.



Selector® 3772 DX Digital Mortice Locks




Exterior




Interior

Part Number	3772DX	4772DX	5772DX
Dimension A	60	89	127

Note: Order by specifying 3772SS primary lock and 3772-DXKITSC





1.5

Selector® 3772 DX Digital Mortice Locks

DX Digital Mortice Lock

Part Number 3772DX-

DX Digital outside, plate furniture inside. **Outside:** Opened by DX Digital with code.

Inside: Opened by handle at all times.

This function requires the locking bar to be positioned in the locked position once lock is set.

DX Digital Mortice Lock with Holdback by Cylinder#


Part Number 3772DXVH


DX Digital outside, plate furniture and cylinder inside.

Outside: Opened by DX Digital with code.

Inside: Opened by handle at all times. Holdback activated by key.

Key retracts latch after releasing holdback.






Notes:

All drawings shown are in right hand configuration. Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4772, or if 127mm lock is required, substitute 3 for 5 i.e. 5772

#Holdback - Latch bolt can be held within the lock. **Holdback must not be activated on fire doors.**For questions concerning our fire rated products, their specifications and their utilization please contact ASSA ABLOY or relevant Fire Door manufacturer.



Selector® 3772 Key Override DX Digital Mortice Locks



Description

Lockwood DX Digital Locksets provide a mechanical method of keyless entry and are designed to control access into commercial areas.

For extra security when under forced attack, the inbuilt clutching mechanism allows the outside turnknob to rotate without operating or damaging the lock.

The factory set 4 digit code is easily changed to any 4, 5 or 6 digit code using the code changing kit provided with each lock.

As the digital lockset utilizes mechanical operation, electrical wiring is not required.

Outside Function

Outside: Press the C button, enter the correct code, then turn the turnknob to unlock the door. Upon releasing the turnknob the code is automatically cancelled. The key override pin tumbler cylinder enables quick access by key for authorities such as the fire brigade or those who need to carry a master key to access all rooms of a building.

Product Details			
Backset	Available in 60, 89 and 127mm backsets.		
Cylinder	Pin tumbler mechanism with oval brass cylinder		
Door Thickness	32mm to 50mm		
Finish	Codepad: Satin Chrome Brushed (SC) Mortice Lock: Stainless Steel (SS)		
Latch	Stainless steel with 15mm projection		

Door Furniture (Lockwood 1800 and 2800 Series) and lower cylinder must be ordered separately.

Inside Function

Opened by lever handle at all times.

Holdback Function

A key operated holdback function is available as a lock setting and requires the inclusion of an internal cylinder.

Selector® 3772 Key Override DX Digital Mortice Locks



Exterior





Interior

Selector® 3772 Key Override DX Digital Mortice Locks

Part Number	3772DXKO	4772DXKO	5772DXKO
Dimension A	60	89	127

Note: Order by specifying 3772SS primary lock and 3772-DXKOKITSC. Cylinders must be ordered separately.





Selector® 3772 Key Override DX Digital Mortice Locks

Key Override DX Digital Mortice Lock

Part Number 3772DXKO-

DX Digital and lower cylinder outside, plate furniture inside. **Outside:** Opened by DX Digital with code or key at all times.

Inside: Opened by handle at all times.




Part Number 3772DXKOVH


DX Digital and lower cylinder outside, plate furniture and cylinder inside.

Outside: Opened by DX Digital with code or key at all times.

Inside: Opened by handle at all times. Holdback activated by key.

Key retracts latch after releasing holdback.






Notes:

All drawings shown are in right hand configuration.

Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4772, or if 127mm lock is required, substitute 3 for 5 i.e. 5772

#Holdback - Latch bolt can be held within the lock. **Holdback must not be activated on fire doors.**For questions concerning our fire rated products, their specifications and their utilization please contact ASSA ABLOY or relevant Fire Door manufacturer.




Dual Entry Kits

Part Number	Application
3777-KIT570E	For new 3777 dual entry applications
3777-KIT577	For Synergy 3577 retrofit applications

Dual Entry kits include: Lower cylinder mounting plate, spindle cam and mounting screws. Retrofit kit does not include spindle cam.

Cylinders must be ordered separately.




DX Digital Kits

Part Number	Application
3772-DXKITSC	DX Digital Kit
3772-DXKOKITSC	DX Digital with Key Override Kit

DX Digital kits include: Digital codepad, mounting plate, codepad spindle, associated mounting screws and a latching adaptor.


Cylinders and door furniture (1800 or 2800 series) must be ordered separately.



Alternative Finish Kits

Part Number	Finish
3772-FINKITCP*	Chrome Plate
3772-FINKITPB	Polished Brass
3772-FINKITPC	Powder Coat

Finish kits include: Strike, faceplate and screws. For 3774 Passage Latch, please specify 3774FINKITXX, where XX designates finish.
*Screws not included.




Fire Rated (4hr) Rebate Kits

Part Number	Lip Length A
3772-RK32XX	32mm
3772-RK46XX	46mm

Rebate kits to suit standard 13mm rebate. To order, add finish code to part number. XX designates finish.

SS - Stainless Steel, CP - Chrome Plate, PB - Polished Brass



Notes:

For questions concerning our fire rated products, their specifications and their utilization please contact ASSA ABLOY or relevant Fire Door Manufacturer.




Aluminium Door Fixing Kit


Part Number	Finish
3772-AFKITSS*	Stainless Steel
3772-AFKITCP*	Chrome Plate
3772-AFKITPC	Powder Coat

For 3774 Passage Latch, please specify 3774-AFKITXX, where XX designates finish.

*Faceplate screws not included



Short/Extended Lipped Strikes				
Part Number	Lip Length A	Lip Length B		
3772-STK25XX	25.4mm	39.3mm		
3772-STK32XX	32mm	46.1mm		
3772-STK43XX	43.5mm	57.8mm		
3772-STK47XX	47.5mm	61.8mm		
3772-STK60XX*	60mm	74.2mm		



To order, add finish code to part number.

XX designates the finish.

SS - Stainless Steel, CP - Chrome Plate, PB - Polished Brass

ES2100 Electri	ic Strike Faceplate
Part Number	Application
3772-2100SS	To suit 3770 Series

3772AF-2100SS* To suit 3770 Series with Aluminium Door Fixing

To work in conjunction with the Lockwood Padde Series ES2100 electric strike for door position monitoring.

- * Can be used directly with a 3772SS primary lock
- No additional AF fixing kit is required.

25	· - 	- :
ASSA ASSA OF		
© 3700 SERVIES		

Security Faceplate Screw Kit


Part Number	Application		
3772-SECKIT	To suit 3770 Series		

Kit contains two replacement faceplate screws with tamper resistant TR20 torx drive heads.

^{*}Only available in Stainless Steel (SS) finish.

Mortice Lock Spindles					
Part Number	Length "A"	Door Thickness			
			Min	Max	
SP3570-5018	10	33mm	32	50	
SP3570-5228	1	45mm	50	75	
SP3570-5238	1	58mm	75	100	
SP3570-5258	1	108mm	100	200	





Single Cylinder Assemblies



"X7" Cam Cylinder 570C4/X7



"V" Cam Cylinder 570C4/V



3777 Lower Cylinder with Spindle Cam 570EC4/77

Cylinder Cams



"X7" Cam SP3700/X7CAM



"V" Cam SP3700/VCAM



3777



3777 Spindle Cam SP3777/CAM

Adaptors



Locking Adaptor 3772-ADAPTOR



Latching Adaptor 3770-ADAPTOR

Selector®3770 Series Cam and Adaptors Function Chart

Selector® 3770 Series	Function Description	Primary Lock	Outside Cylinder Cam/Adaptor	Inside Cylinder Cam/Adaptor	Kit
Selector® 3770 Nightlatcl	nes		7		
3770SS	Nightlatch Primary Lock	3770SS	-	-	
3770-TSS	Nightlatch with Turn	3770TSS	-	3770-ADAPTOR	
3770X-SS	Nightlatch with Cylinder	3770SS	X7	-	
3770XTSS 3770XXSS	Nightlatch with Cylinder and Turn Nightlatch with Double Cylinder	3770TSS 3770SS	X7 X7	3770-ADAPTOR X7	
S-1-+	de-				
Selector® 3772 Escape Loc 1772SS	Escape Primary Lock	3772SS			
3772SS	Escape Lock	3772SS	-	-	
772V-SS	Anti-vandal Escape Lock	3772SS	V	-	
3772VTSS	Anti-vandal Escape Lock with Turn	3772TSS	V	3772-ADAPTOR	
3772X-SS	Key Entry Escape Lock	3772SS	X7	-	
3772XTSS	Key Entry Escape Lock with Turn	3772TSS	X7	3772-ADAPTOR	
3772-VSS	Escape Lock with Internal Cylinder	3772SS	-	V	
3772-TSS	Escape Lock with Turn	3772TSS	-	3772-ADAPTOR	
3772VVSS	Anti-vandal Escape Lock with Internal Cylinder	3772SS	V	V	
				V	
3772XVSS	Key Entry Escape Lock with Internal Cylinder	3772SS	X7		
3772-TASS	Anti-lockout Escape Lock with Turn	3772TSS	-	3772-ADAPTOR	
3772VTASS	Anti-lockout Anti-vandal Escape Lock with Turn	3772TSS	V	3772-ADAPTOR	
3772V-HSS	Holdback Anti-vandal Escape Lock	3772SS	V	-	
3772VTHSS	Holdback Anti-vandal Escape Lock with Turn	3772TSS	V	3772-ADAPTOR	
3772XVHSS	Holdback Key Entry Escape Lock with Internal Cylinder	3772SS	X7	V	
Selector® 3774 Passage Lo	atch				
3774SS	Passage Latch	3774SS	-		
Selector® 3774 Combinat	ion Locks				
774VTSS	Anti-vandal Lock with Turn	3772TSS	V	3772-ADAPTOR	
774VVSS	Anti-vandal Lock with Internal Cylinder	3772SS	V	V	
3774XVSS	Key Entry Lock with Internal Cylinder	3772SS	X7	V	
3774XXSS	KKey Entry Double Cylinder Lock	3772SS	X7	X7	
3774-TSS	Combination Lock with Turn	3772TSS	-	3772-ADAPTOR	
3774-TASS	Anti-lockout Combination Lock with Turn	3772TSS	-	3772-ADAPTOR	
3774VTASS	Anti-lockout Anti-vandal Lock with Turn	3772TSS	V	3772-ADAPTOR	
3774VVASS	Anti-lockout Anti-vandal Lock with Internal Cylinder	3772SS	V	V	
3774VTHSS	Holdback Anti-vandal Lock with Turn	3772TSS	V	3772-ADAPTOR	
3774VVHSS	Holdback Anti-vandal Lock with Internal Cylinder	3772SS	V	V	
3774XVHSS	Holdback Key Entry Lock with Internal Cylinder	3772SS	X7	V	
Salastar® 2777 Dual Enter	y Locks				
Selector® 3777 Dual Entry 3777X-SS	V LOCKS Dual Entry Lock	3772SS	X7, 3777 SPINDLE CAM	-	3777-KIT5
3777V-SS	Dual Entry Lock with Lower Cylinder Lockout	3772SS	V, 3777 SPINDLE CAM	_	3777-KIT5



Selector® 3770 Series Cam and Adaptors Function Chart

Key Override DX Digital Mortice Lock with Holdback by Cylinder

Selector® 3770 Series Cam and Adaptors Function Chart					
Selector® 3770 Series	Function Description	Primary Lock	Outside Cylinder Cam/Adaptor	Inside Cylinder Cam/Adaptor	Kit
Privacy Locks					
3772-TSS	Escape Privacy Lock	3772TSS	-	3772-ADAPTOR	
3772-TASS	Anti-lockout Escape Privacy Lock	3772TSS	-	3772-ADAPTOR	
3774-TSS	Privacy Lock	3772TSS	-	3772-ADAPTOR	
3774-TASS	Anti-lockout Privacy Lock	3772TSS	-	3772-ADAPTOR	
3777-TSS	Key Entry Privacy Lock	3772TSS	3777 SPINDLE CAM	3772-ADAPTOR	3777-KIT570E
3777-TASS	Key Entry Anti-lockout Privacy Lock	3772TSS	3777 SPINDLE CAM	3772-ADAPTOR	3777-KIT570E
Selector® 3772 DX Digital	Locks				
3772DX-SS	DX Digital Mortice Lock	3772SS	3770-ADAPTOR	-	3772-DXKITSC
3772DXVHSS	DX Digital Mortice Lock with Holdback by Cylinder	3772SS	3770-ADAPTOR	V	3772-DXKITSC
3772DXKO-SS	Key Override DX Digital Mortice Lock	3772SS	3770-ADAPTOR, 3777 SPINDLE CAM	-	3772-DXKOKITSC

3772SS

3770-ADAPTOR, 3777 SPINDLE CAM

Notes: Iltems in Italics are Primary locks and can be purchased from ASSA ABLOY. Purchased configurations include adaptors as required. Cylinders must be ordered separately.

3772-DXKOKITSC

3772DXKOVHSS

Synergy Series Conversion Chart


Synergy Serie	es Conversion Chart		
Synergy Series	Selector® 3770 Series	Function Description	Note
Nightlatches			
3570SC	3770SS	Nightlatch Primary Lock	
3570-T#SC	3770-TSS	Nightlatch with Turn	
3570X-#SC	3770X-SS	Nightlatch with Cylinder	
3570XT#SC 3570XX#SC	3770XTSS 3770XXSS	Nightlatch with Cylinder and Turn Nightlatch with Double Cylinder	
	31100033	Mandaten with bouble cylinder	
Escape Locks			
3572SC	3772SS	Escape Primary Lock	
3572EA#SC	3772-TASS	Anti-lockout Escape Privacy Lock	Was a bank for attack to all all and a days attack to the a
3572M-#SC	3772V-SS	Anti-vandal Escape Lock	V cam has the functionality of locking lock and retracting bolt without an adaptor.
3572-T#SC	3772-TSS	Escape Lock with Turn	
3572WA#SC	3772VTASS	Anti-lockout Anti-vandal Escape Lock with Turn	V cam has the functionality of locking lock just as the W cam. V cam also retrac bolt after unlocking lock.
3572WT#SC	3772VTSS	Anti-vandal Escape Lock with Turn	V cam has the functionality of locking lock just as the W cam. V cam also retract bolt after unlocking lock.
3572X-#SC	3772X-SS	Key Entry Escape Lock	X7 cam has the functionality of retracting bolt and locking lock. Does not have unlocking functionality.
3572XA#SC	3772VTASS	Anti-lockout Anti-vandal Escape Lock with Turn	V cam has the functionality of locking lock and retracting bolt without an adaptor.
3572XT#SC	3772XTSS	Key Entry Escape Lock with Turn	X7 cam has the functionality of retracting bolt and locking lock. Does not have unlocking functionality.
3572XZ#SC	3772XVSS	Key Entry Escape Lock with Internal Cylinder	V cam has the functionality of locking lock just as the Z cam. V cam also retract bolt after unlocking lock. X7 cam has the functionality of retracting bolt and locking lock. Does not have unlocking functionality.
3572-Z#SC	3772-VSS	Escape Lock with Internal Cylinder	V cam has the functionality of locking lock just as the Z cam. V cam also retract bolt after unlocking lock.
3572Z-#SC	3772V-SS	Anti-vandal Escape Lock	V cam has the functionality of locking lock just as the Z cam. V cam also retract bolt after unlocking lock.
Combination Loc	ks		
3574SC	3774SS	Passage Latch	
3574ET#SC	3774-TSS	Privacy Lock	
3574WT#SC	3774VTSS	Anti-vandal Lock with Turn	V cam has the functionality of locking lock just as the W cam. V cam also retracts bolt after unlocking lock.
3574XX#SC	3774XXSS	Key Entry Double Cylinder Lock	X7 cam has the functionality of retracting bolt and locking lock. Does not have unlocking functionality.
3574XZ#SC	3774XVSS	Key Entry Lock with Internal Cylinder	V cam has the functionality of locking lock just as the Z cam. V cam also retracts bolt after unlocking lock. X7 cam has the functionality of retracting bolt and locking lock. Does not have unlocking functionality.
3574-Z#SC	3774-VSS	Combination Lock with Internal Cylinder	V cam has the functionality of locking lock just as the Z cam. V cam also retract bolt after unlocking lock.
3574Z-#SC	3774V-SS	Anti-vandal Combination Lock	V cam has the functionality of locking lock just as the Z cam. V cam also retracts bolt after unlocking lock.
3574ZZ#SC	3774VVSS	Anti-vandal Lock with Internal Cylinder	\boldsymbol{V} cam has the functionality of locking lock just as the \boldsymbol{Z} cam. \boldsymbol{V} cam also retract bolt after unlocking lock.
Dual Entry Locks			
3577SC			3772SS primary lock can be converted to a dual entry lock with the 3777-KIT570E kit.
3577EA#SC	3777-TASS	Key Entry Anti-lockout Privacy Lock	
3577M-#SC	3777V-SS	Dual Entry Lock with Lower Cylinder Lockout	V cam has the functionality of locking lock and retracting bolt without an adaptor.
3577X-#SC	3777X-SS	Dual Entry Lock	X7 cam has the functionality of retracting bolt and locking lock. Does not have unlocking functionality.
Holdback Locks			
3578SC			Holdback functionality is available in 3772 primary lock.
3578M-#SC	3772V-HSS	Holdback Anti-vandal Escape Lock	V cam has the functionality of locking lock and retracting bolt without an adaptor.
3578WT#SC	3772VTHSS	Holdback Anti-vandal Escape Lock with Turn	V cam has the functionality of locking lock just as the W cam. V cam also retractions the value of the value
3578Z-#SC	3772V-HSS	Holdback Anti-vandal Escape Lock	V cam has the functionality of locking lock just as the Z cam. V cam also retract bolt after unlocking lock.
3578XZ#SC	3772XVHSS	Holdback Key Entry Escape Lock with Internal Cylinder	V cam has the functionality of locking lock just as the Z cam. V cam also retract bolt after unlocking lock. X7 cam has the functionality of retracting bolt and locking lock. Does not have unlocking functionality.



Selector® 3770 Series Cylinder Mortice Locks Functioning Matrix

Functioning Matrix

Sample part number 3772VTASS is made up of seven elements. The description of this part number is an Anti-lockout Anti-vandal escape lock with cylinder and turn in satin stainless steel finish. Choose your product by selecting an option from each element.



Code

- **1. Backset:** Nominate backset as required, for example 3 = 60mm backset.
- **2. Function:** Select function, for example 772 = Escape Lock
- **3. Sub Function:** Determine sub function requirements for both exterior and interior.

For example:

Exterior – Locking function required – specify V (cylinder). Interior – Turnknob function required – specify T (turnbutton adaptor).

4. Locking Function Setting: Determine lock function requirements.

For example:

Anti-lockout - Specify A

5. Finish: Select appropriate finish, e.g. SS Other finishes available by specifying finish kits.



Selector® 3780 Series Mortice Locks

Selector® 3780 Series Cylinder Mortice Locks

A comprehensive range of cylinder mortice locks for narrow stile hinged doors, suitable for heavy duty use in industrial and commercial buildings, shop fronts, clubs, schools, hospitals, hotels and similar buildings.

Benefits

- Easy red/green function setting
- All lock settings are made from under the faceplate allowing for simple in-door configuration
- Standard primary locks include antilockout and holdback capabilities
- Improved cylinder functions including lock/ unlock and retract latch as standard
- Reduced range of cylinder cams and turn adaptors relative to other commonly available commercial cylinder mortice locks

Features and Specifications

The Australian designed and built Selector® 3780 Series Short Backset Cylinder Mortice Locks are made from quality materials to meet high durability and strength requirements.

Case and Faceplates

- High purity zinc alloy material cases with stainless steel chassis plates. Stainless steel faceplates provided as standard.
- Brass faceplates are available for alternative finishes

Backset

23mm standard backset. Extended backsets 25.4mm, 30mm and 38mm are available, refer to function matrix (Page 76)

Latch Bolts

- Latch bolts are made with stainless steel,
 15mm in size
- Deadlatching is achieved by an auxiliary stainless steel latch bolt
- Reversible for both left and right hand doors, opening in or opening out whilst lock is in door
- Electric strike compatibility
- Separate auxiliary bolt moves into lock case simultaneously with latch bolt
- Radius bolt provides greater deadlatch throw and smoother closing action

Cylinder Retaining Pin

 Hard-drawn spring steel wire, corrosion protected

Door Thickness

- Metal doors: 35 to 50mm
- Suits hollow-style aluminium door sections with 38mm minimum internal depth
- Timber doors: 32 to 50mm
- Specify 3782-TFKIT for timber door fixing kit to convert an aluminium fix lock suit timber door fixing. The timber door fixing kit includes a long faceplate, strike and screws to suit a timber door and jamb

Cylinder

Requires standard Lockwood oval shaped brass cylinders and brass barrels. Lockwood cylinders include bump resistant five pin tumbler mechanism.

Functions require the use of different cams and adaptors.

Keving

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication and can also include specially designed keying systems such as master key systems. This allows for different levels of mechanical access control.

Please refer to assaabloy.com.au for keying systems or contact your local sales office or customer service for specific information.

Security

All Selector® 3780 Series Cylinder Mortice Locks conform with Level S7 (Physical Security) Australian Lock Standard (AS-4145.2-2008). Conforms to Level S8 (Physical Security) when fitted with door furniture and anti-drill cylinder.

Durability

All Selector® 3780 Series Cylinder Mortice Locks conform with Level D8 (Durability) Australian Lock Standard (AS 4145.2-2008).

Anti-Corrosion

All Selector® 3780 Series Cylinder Mortice Locks conform with Level C6 (168 hours) Australian Lock Standard (AS4145.2-2008).

Door Clearance

To ensure correct functioning of the deadlatching mechanism and security for all locks, the clearance between the door and frame should be no less than 3mm. The deadlatching will operate up to 8mm door clearance, however door clearances over 5mm are not recommended.

Standard Finishes

Stainless Steel

SS

Extended Cylinders

Modular cylinder extensions are available for thicker doors.

Rebate

Rebate kits to suit 13mm standard rebate are available. Only suitable for use with 30mm and 38mm backset locks.

Electric Strikes

Lockwood offers a wide range of electric strikes which are compatible with the Selector® 3780 Series Mortice Lock.

For further details refer to lockweb.com.au









Selector® 3780 Series Cylinder Mortice Locks

1. Multi-function Lock

The new Selector® 3780 Series Mortice Lock was designed to incorporate the full range of lock functions into one primary lock. This reduces stock line items. All functions can be configured by adjusting the hub setting selector, anti-lockout selector as well as using cylinder cams and turn adaptors.

2. Hub Setting Selection

Hub settings can be adjusted via the Selector® 3780 series hub selector located under the faceplate of the mortice lock. The hub setting allows for three functions: Passage, Combination, or Escape function. This is done by rotating the dial with a 4mm flat blade screwdriver.

RED - Handle is lockable. Only opened by handle when locking bar is unlocked (up).

GREEN - Opened by handle at all times.

3. Anti-lockout Selection

Anti-lockout function can now be selected via a switch under the faceplate of the mortice lock. This is done by depressing on the anti-lockout indicated part of the switch with a 4mm flat blade screwdriver. Clearance between door and frame should not be over 5mm to ensure anti-lockout mechanism functions correctly.

4. Case Assembly

Zinc diecast body with stainless steel chassis plates for improved strength.

5. Backsets

Standard Backset - 23mm

Extended backets 25.4, 30 and 38mm are available (Refer to Ordering Procedure on page 79)

6. Cylinder/Adaptor Retention

"Slip Pin" Cylinder/Adaptor fixing method, which allows attachment to the lock case by inserting a non-threaded cylindrical pin through the front of the lock case.

7. Cylinder Assembly

Five pin tumbler mechanism. Standard Lockwood oval shaped, brass cylinders and brass barrels. Only two newly designed cams needed for all lock functions.

X7 Cam - Retracts latch bolt with additional ability of locking the locking bar.

V Cam - Locks and unlocks the locking bar. Also retracts latch bolt after unlocking lock.

8. Synergy Retrofit

The Selector® 3780 Series Mortice Lock is designed to have an equivalent case size as the Synergy Series Mortice Lock to ensure retrofitability.

9. Lock Fixing and Kits

The Selector® 3780 Series primary lock is designed for aluminium doors. Various kit conversions are available for timber door applications, alternative finishes as well as dual entry and DX digital locksets.

Holdback Function

Lock is always holdback capable, no setting is required. Holdback can be activated at any time - unless antilockout is selected.







Description

These locks have various latching functions operated generally by key or handle outside and by turnknob, key or handle inside. These locks comply with building regulations for single-action escape doors.

Product Details		
Furniture	Compatible with Lockwood 4800 and 5800 Series Furniture. Refer to lockweb.com.au for further details.	
Latch	Deadlatch only.	
Standard Finishes	Stainless Steel (SS) Other finishes available via finish kit conversions.	








Selector® 3782 Short Backset Escape Locks

Part Number	3782	4782	5782	6782
Dimension X	23	25.4	30	38
Dimension Y	40	42.4	47	55
Minimum internal depth of door	40	43	47	55



15

15

18

Part Number 3782--

Outside: Handle always rigid.

Inside: Opened by handle at all times

This function requires the locking bar to be positioned

in the locked position once lock is set.


Part Number 3782V-

Single cylinder.

Outside: Opened by handle when unlocked. Key locks or unlocks outside handle and retracts bolt after unlocking lock.

Inside: Opened by handle at all times.






Part Number 3782VT

Cylinder and turnknob.

Outside: Opened by handle when unlocked. Key locks or unlocks outside handle and retracts bolt after unlocking lock.

Inside: Opened by handle at all times. Turnknob locks or unlocks

outside handle.




Part Number 3782X-

Single cylinder.

Outside: Opened by key at all times. Handle always rigid.

Inside: Opened by handle at all times.

This function requires the locking bar to be positioned in the locked position once lock is set.



All drawings shown are in right hand configuration. Part numbers shown above are for 23mm backset lock, if 25.4mm is required substitute 3 for 4 i.e. 4782, or if 30mm or 38mm lock is required, substitute 3 for 5 or 6 respectively i.e. 5782, 6782



Key Entry Escape Lock with Turn[#]

Part Number 3782XT

Cylinder and turnknob.

Outside: Opened by key at all times. Opened by handle when

unlocked. Key locks outside handle.

Inside: Opened by handle at all times. Turnknob locks or unlocks

outside handle.



Escape Lock with Internal Cylinder#

Part Number 3782-V

Cylinder inside.

Outside: Opened by handle when unlocked.

Inside: Opened by handle at all times. Cylinder locks or unlocks

outside handle and retracts bolt after unlocking lock.

Escape Lock with Turn#


Part Number 3782-T

Turnknob inside.


Outside: Opened by handle when unlocked.

Inside: Opened by handle at all times. Turnknob locks or unlocks

outside handle.







Kev Entry Escape Lock with Internal Cylinder#

Part Number 3782XV

Double Cylinder.

Outside: Opened by key at all times. Opened by handle when

unlocked. Key locks outside handle.

Inside: Opened by handle at all times. Key locks or unlocks outside

 $handle\ and\ retracts\ bolt\ after\ unlocking\ lock.$

Notes

All drawings shown are in right hand configuration. Part numbers shown above are for 23mm backset lock, if 25.4mm is required substitute 3 for 4 i.e. 4782, or if 30mm or 38mm lock is required, substitute 3 for 5 or 6 respectively i.e. 5782, 6782



Anti-lockout Escape Lock with Turn^{*}


Part Number 3782-TA

Turnknob inside.

Outside: Opened by handle when unlocked.

Inside: Opened by handle at all times. Turnknob locks or unlocks

outside handle.



Anti-lockout Anti-vandal Escape Lock with Turn*

Part Number 3782VTA


Cylinder and turnknob.

Outside: Opened by handle when unlocked. Key locks or unlocks

outside handle and retracts bolt after unlocking lock.

Inside: Opened by handle at all times. Turnknob locks or unlocks

outside handle.



Notes

All drawings shown are in right hand configuration. Part numbers shown above are for 23mm backset lock, if 25.4mm is required substitute 3 for 4 i.e. 4782, or if 30mm or 38mm lock is required, substitute 3 for 5 or 6 respectively i.e. 5782, 6782








Description

These locks have various latching functions operated generally by outside or inside handles, except when locked by key outside or by key or turnknob inside.


Product Details		
Furniture	Compatible with Lockwood 4800 and 5800 Series Furniture. Refer to lockweb.com.au for further details.	
Latch	Deadlatch only.	
Standard Finishes	Stainless Steel (SS) Other finishes available via finish kit conversions.	





Selector® 3784 Short Backset Combination Locks

Part Number	3784	4784	5784	6784
Dimension X	23	25.4	30	38
Dimension Y	40	42.4	47	55
Minimum internal depth of door	40	43	47	55



15

18

194.5

Passage Latch

Part Number 3784

No locking function. Plainlatch only. **Outside:** Opened by handle at all times.

Inside: Opened by handle at all times.

Anti-vandal Lock with Turn[‡]

Part Number 3784VT

Cylinder and turnknob.

Outside: Opened by handle when unlocked. Key locks or unlocks both handles and retracts bolt after unlocking lock.

Inside: Opened by handle when unlocked. Turnknob locks or

unlocks both handles.

Anti-vandal Lock with Internal Cylinder#

Part Number 3784VV

Double cylinder.

Outside: Opened by handle when unlocked. Key locks or unlocks both handles and retracts bolt after unlocking lock.

Inside: Opened by handle when unlocked. Key locks or unlocks

both handles and retracts bolt after unlocking lock.

Key Entry Lock with Internal Cylinder

Part Number 3784XV


Double cylinder.


Outside: Opened by key at all times. Opened by handle when


unlocked. Key locks both handles.

Inside: Opened by handle when unlocked. Key locks or unlocks

both handles and retracts bolt after unlocking lock.








Notes:

All drawings shown are in right hand configuration. Part numbers shown above are for 23mm backset lock, if 25.4mm is required substitute 3 for 4 i.e. 4784, or if 30mm or 38mm lock is required, substitute 3 for 5 or 6 respectively i.e. 5784, 6784



Key Entry Double Cylinder Lock

Part Number 3784XX

Double cylinder.

Outside: Opened by key at all times. Handle always rigid.

Inside: Opened by key at all times. Handle always rigid.

This function requires the locking bar to be positioned in the locked position once lock is set.

Combination Lock with Turn[‡]

Part Number 3784-T

Turnknob inside.

Outside: Opened by handle when unlocked.

Inside: Opened by handle when unlocked. Turnknob locks or

unlocks both handles.

Anti-lockout Combination Lock with Turn*

Part Number 3784-TA

Turnknob inside.

Outside: Opened by handle when unlocked.

Inside: Opened by handle when unlocked. Turnknob locks or

unlocks both handles.

Anti-lockout Anti-vandal Lock with Turn*

Part Number 3784VTA

Cylinder and turnknob.


Outside: Opened by handle when unlocked. Key locks or unlocks

both handles and retracts bolt after unlocking lock.


Inside: Opened by handle when unlocked. Turnknob locks or

unlocks both handles.

X7 X7







Notes

All drawings shown are in right hand configuration. Part numbers shown above are for 23mm backset lock, if 25.4mm is required substitute 3 for 4 i.e. 4784, or if 30mm or 38mm lock is required, substitute 3 for 5 or 6 respectively i.e. 5784, 6784



Anti-lockout Anti-vandal Lock with Internal Cylinder


Part Number 3784VVA

Double cylinder.

Outside: Opened by handle when unlocked. Key locks or unlocks both handles and retracts bolt after unlocking lock.


Inside: Opened by handle when unlocked. Key locks or unlocks

both handles and retracts bolt after unlocking lock.



Notes

All drawings shown are in right hand configuration. Part numbers shown above are for 23mm backset lock, if 25.4mm is required substitute 3 for 4 i.e. 4784, or if 30mm or 38mm lock is required, substitute 3 for 5 or 6 respectively i.e. 5784, 6784





Selector® 3787 Short Backset Dual Entry Locks



Description

Designed to enable third parties such as emergency services to enter specific areas by second cylinder without giving access to all locksets in the building and the ability to lockout keys with restricted access at certain times.

Product Details		
Furniture	Compatible with Lockwood 4800 and 5800 Series Furniture. Refer to lockweb.com.au for further details.	
Latch	Deadlatch only.	
Standard Finishes	Stainless Steel (SS) Other finishes available via finish kit conversions.	


Selector® 3787 Short Backset Dual Entry Locks




Selector® 3787 Short Backset Dual Entry Locks

Part Number	3787	4787	5787	6787
Dimension X	23	25.4	30	38
Dimension Y	40	42.4	47	55
Minimum internal depth of door	40	43	47	55

*Order by specfying 3782SS primary lock and 3787-KIT570E Dual Entry Kit. Cylinders must be ordered separately. Dual Entry Kit only suits 43 - 46mm door thickness.





Selector® 3787 Short Backset Dual Entry Locks

Dual Entry Lock

Part Number 3787X-

Two cylinders outside.

Outside: Opened by key. Cylinders are keyed to differ.

Inside: Opened by handle at all times.

This function requires the locking bar to be positioned in the locked position once lock is set.


Dual Entry Lock with Lower Cylinder Lockout


Part Number 3787V-

Two cylinders outside.

Outside: Opened by key when unlocked. Upper cylinder key locks or unlocks lower cylinder and retracts bolt after unlocking lock. Cylinders are keyed to differ.

Inside: Opened by handle at all times.





Notes:

All drawings shown are in right hand configuration. Part numbers shown above are for 23mm backset lock, if 25.4mm is required substitute 3 for 4 i.e. 4787, or if 30mm or 38mm lock is required, substitute 3 for 5 or 6 respectively i.e. 5787, 6787





Selector® 3782 Short Backset DX Digital Mortice Locks





Description

Lockwood DX Digital Locksets provide a mechanical method of keyless entry.

For extra security when under forced attack, the inbuilt clutching mechanism allows the outside turnknob to rotate without operating or damaging the lock.

The factory set 4 digit code is easily changed to any 4, 5 or 6 digit code using the code changing kit provided with each lock.

Lockwood Digital DX Locksets are designed to control access in commercial areas.

As the digital lockset utilizes mechanical operation, electrical wiring is not required.

Product Details		
Door Thickness	32 to 50mm for timber doors. 35 to 50mm for metal doors	
Finish	Codepad: Satin Chrome Brushed (SC) Mortice Lock: Stainless Steel (SS)	
Codepad Assembly	High purity zinc alloy, 45mm wide, 164mm high, 52mm projection	
Latch	Stainless steel with 15mm projection	

Note: As suitability of lever will be influenced by the lock backset, refer to chart for Lever/Backset compatibility Lockwood Door Handle Catalogue. Lockwood 4800 and 5800 Series (ordered separately).

Backset

Open-out door: 23, 25.4, 30 and 38mm. Open-in door: 38mm recommended. Installation of 23, 25.4 or 30mm on open-in doors would require the door stop to be machined to clear the digital pad.


Inside Function

Opened by lever handle at all times.

Holdback Function

Holdback function is available, this requires the inclusion of an internal cylinder.

Selector® 3782 Short Backset DX Digital Mortice Locks



15

Selector® 3782 Short Backset DX Digital Mortice Locks

DX Digital Mortice Lock

Part Number 3782DX-

DX Digital outside, plate furniture inside. **Outside:** Opened by DX Digital with code.

Inside: Opened by handle at all times.

This function requires the locking bar to be positioned in the locked position once lock is set.

DX Digital Mortice Lock with Holdback by Cylinder#

Part Number 3782DXV


DX Digital outside, plate furniture and cylinder inside.

Outside: Opened by DX Digital with code.

Inside: Opened by handle at all times. Holdback activated by key.

Key retracts latch after releasing holdback.





Notes:


All drawings shown are in right hand configuration. Part numbers shown above are for 23mm backset lock, if 25.4mm is required substitute 3 for 4 i.e. 4782, or if 30mm or 38mm lock is required, substitute 3 for 5 or 6 respectively i.e. 5782, 6782

#Latch bolt can be held within the lock. Lock function recommended for use in holdback application.





Selector® 3782 Short Backset Key Override DX Digital Mortice Locks



Description

Lockwood DX Digital Locksets provide a mechanical method of keyless entry.

For extra security when under forced attack, the inbuilt clutching mechanism allows the outside turnknob to rotate without operating or damaging the lock.

The factory set 4 digit code is easily changed to any 4, 5 or 6 digit code using the code changing kit provided with each lock.

Lockwood Digital DX Locksets are designed to control access into commercial areas.

As the digital lockset utilizes mechanical operation, electrical wiring is not required.

Product Details		
Door Thickness	43 to 46mm for metal doors	
Finish	Codepad: Satin Chrome Brushed (SC) Mortice Lock: Stainless Steel (SS)	
Codepad Assembly	High purity zinc alloy, 45mm wide, 164mm high, 52mm projection	
Latch	Stainless steel with 15mm projection	

Note: As suitability of lever will be influenced by the lock backset, refer to chart for Lever/Backset compatibility Lockwood Door Handle Catalogue. Lockwood 4800 and 5800 Series (ordered separately).

Backset

Open-out door: 23, 25.4, 30 and 38mm. Open-in door: 38mm recommended. Installation of 23, 25.4 or 30mm on open-in doors would require the door stop to be machined to clear the digital pad.

Inside Function

Opened by lever handle at all times.

Holdback Function

Holdback function is available, this requires the inclusion of an internal cylinder.





Selector® 3782 Short Backset Key Override DX Digital Mortice Locks








Interior











(4)

Part Number	3782DXKO	4782DXKO	5782DXKO	6782DXKO
Dimension X	23	25.4	30	38

Note: Order by specfying 3782SS primary lock and 3782-DXKOKITSC. Cylinders must be ordered separately. Key Override DX Digital kit only suits 43-46mm door thickness.

15

185


Selector® 3782 Short Backset Key Override DX Digital Mortice Locks

DX Digital Mortice Lock with Key Override

Part Number 3782DXKO-

DX Digital and lower cylinder outside, plate furniture inside. **Outside:** Opened by DX Digital with code or key at all times.

Inside: Opened by handle at all times.




Part Number 3782DXKOV


DX Digital and lower cylinder outside, plate furniture and cylinder inside.

Outside: Opened by DX Digital with code or key at all times.

Inside: Opened by handle at all times. Holdback activated by key.

Key retracts latch after releasing holdback.





Notes:

All drawings shown are in right hand configuration. Part numbers shown above are for 23mm backset lock, if 25.4mm is required substitute 3 for 4 i.e. 4787, or if 30mm or 38mm lock is required, substitute 3 for 5 or 6 respectively i.e. 5787. 6787

 $\hbox{\#Latch bolt can be held within the lock. Lock function recommended for use in holdback application.}$




Dual Entry Kit

Part Number	Application
3787-KIT570E	For new 3787 dual entry applications

Dual Entry Kit include: Lower cylinder mounting plate, spindle cam and mounting screws.

Cylinders must be ordered separately. Dual Entry Kit only suitable on doors 43-46mm thick.




DX Digital Kits

Part Number	Application
3782-DXKITSC	DX Digital Kit
3782-DXKOKITSC	DX Digital with Key Override Kit

DX Digital kits include: Digital codepad, mounting plate, codepad spindle, associated mounting screws and a latching adaptor.

Cylinders and door furniture (4800 or 5800 series) must be ordered separately.

DX Digital with Key Override only suitable on doors 43-46mm thick.




Alternative Finish Kits

Part Number	Finish
3782-FINKITCP*	Chrome Plate
3782-FINKITPC	Powder Coat

Finish kits include: Strike, faceplate and screws. Finish kits are not suitable for use with 25.4mm backset 4782 lock.

*Screws not included.




Timber Door Fixing Kit

Part Number	Finish
3782-TFKITSS*	Stainless Steel
3782-TFKITCP*	Chrome Plate
3782-TFKITPB	Polished Brass

Timber door fixing kits are not suitable for use with 25.4mm backset 4782 lock.

*Faceplate screws not included




ES2100 Electric Strike Faceplates

Part Number	Application
3782-2100SS	To suit 3780 Series
3782TF-2100SS*	To suit 3780 Series with Timber Door Fixing

To work in conjunction with the Lockwood Padde Series ES2100 electric strike for door position monitoring.

- * Can be used directly with a 3782SS primary lock
- No additional TF fixing kit is required.



Security Faceplate Screw Kit

Part Number	Application
3782-SECKIT	To suit 3780 Series

Kit contains five replacement faceplate screws with tamper resistant TR20 Torx drive heads.

Short/Extended Lipped Strikes


Part Number	Lip Length A	Strike Length B
3782-STK32XX	32mm	46.1mm
3782-STK74XX*	74mm	88.5mm

To order, add finish code to part number.

XX designates the finish.

SS - Stainless Steel, CP - Chrome Plate, PB - Polished Brass


*Only available in Stainless Steel (SS) finish.




Fabricator Strikes

Part Number	Lip Length A	Strike Length B
3782-FSTK32SS	32mm	47.2mm
3782-FSTK64SS	64mm	80.2mm

Stainless Steel D shaped strike.









Selector® 3780 Series Accessories


Retrofit Strike Kits

Part Number	Finish
3782-RFSTKCP	Chrome Plate
3782-RFSTKSC	Satin Chrome Brushed

For replacement of existing installations where Lockwood 5900, 595 and Astra Short Backset are used. For replacement of Astra specify 25.4mm backset.







Selector® 3780 Series Accessories


Rebate Kits Part Number Finish 5782-RK ##CP Chrome Plate 5782-RK ##SS Stainless Steel 5782-RK ##PB Polished Brass


Rebate kits to suit 13mm rebated timber doors with minimum backset of 30mm.


To order, add door handing to part number. Refer to door handing guide at the bottom of page. ## designates door handing.

CW - Clockwise

ACW - Anti-clockwise








CW Left Hand open in (Clockwise) Right Hand open out

ACW Left Hand open out (Anti-Clockwise) Right Hand open in

Selector® 3780 Series Accessories

Mortice Lock	Mortice Lock Spindles							
Part Number	Pack Size	Length "A"	Door Thickness					
			Min	Max				
SP3570-5018	10	33mm	32	50				
SP3570-5228	1	45mm	50	75				
SP3570-5238	1	58mm	75	100				
SP3570-5258	1	108mm	100	200				





Single Cylinder Assemblies



"X7" Cam Cylinder 570C4/X7



"V" Cam Cylinder 570C4/V



3787 Lower Cylinder with Spindle Cam 570EC4/87

Cylinder Cams



"X7" Cam SP3700/X7CAM



"V" Cam SP3700/VCAM



2797 Spi



3787 Spindle Cam SP3787/CAM

Adaptors



Locking Adaptor 3772-ADAPTOR



Latching Adaptor 3770-ADAPTOR

Selector® 3780 Series Cam and Adaptors Function Chart

Selector® 3780 Series	Function Description	Primary Lock	Outside Cylinder Cam/Adaptor	Inside Cylinder Cam/ Adaptor	Kit
Selector® 3780 Nightlato	ches				
3780-TSS	Nightlatch with Turn	3780TSS	-	3770-ADAPTOR	
3780X-SS	Nightlatch with Cylinder	3782SS	X7	-	
3780XTSS	Nightlatch with Cylinder and Turn	3780TSS	X7	3770-ADAPTOR	
3780XXSS	Nightlatch with Double Cylinder	3782SS	X7	X7	
Selector® 3782 Escape Lo	ocks				
3782SS	Escape Primary Lock	3782SS	•	-	
3782SS	Escape Lock	3782SS	-	-	
3782V-SS#	Anti-vandal Escape Lock	3782SS	V	-	
3782VTSS#	Anti-vandal Escape Lock with Turn	3782TSS	V	3772-ADAPTOR	
3782X-SS	Key Entry Escape Lock	3782SS	X7	-	
3782XTSS#	Key Entry Escape Lock with Turn	3782TSS	X7	3772-ADAPTOR	
3782-VSS#	Escape Lock with Internal Cylinder	3782SS	-	V	
3782-TSS#	Escape Lock with Turn	3782TSS	-	3772-ADAPTOR	
3782XVSS#	Key Entry Escape Lock with Internal Cylinder	3782SS	X7	V	
3782-TASS	Anti-lockout Escape Lock with Turn	3782TSS	-	3772-ADAPTOR	
3782VTASS	Anti-lockout Anti-vandal Escape Lock with Turn	3782TSS	V	3772-ADAPTOR	
Selector® 3784 Combina	ition Locks				
3784SS	Passage Latch	3782SS	-	-	
3784VTSS#	Anti-vandal Lock with Turn	3782TSS	V	3772-ADAPTOR	
3784VVSS#	Anti-vandal Lock with Internal Cylinder	3782SS	V	V	
3784XVSS#	Key Entry Lock with Internal Cylinder	3782SS	X7	V	
3784XXSS	Key Entry Double Cylinder Lock	3782SS	X7	X7	
3784-TSS	Combination Lock with Turn	3782TSS	-	3772-ADAPTOR	
3784-TASS	Anti-lockout Combination Lock with Turn	3782TSS	-	3772-ADAPTOR	
3784VTASS	Anti-lockout Anti-vandal Lock with Turn	3782TSS	V	3772-ADAPTOR	
3784VVASS	Anti-lockout Anti-vandal Lock with Internal Cylinder	3782SS	V	V	
Selector® 3787 Dual Ent	ry Locks				
3787X-SS	Dual Entry Lock	3782SS	X7, 3787 SPINDLE CAM	-	3787-KIT5
3787V-SS	Dual Entry Lock with Lower Cylinder Lockout	3782SS	V, 3787 SPINDLE CAM		3787-KIT5



Selector® 3780 Series Cam and Adaptors Function Chart

	3700			1 4 1			\sim 1 .
Selector	9 3 / X O	Series	(am and	I Ada	ntors F	-unction	(harf
Jeieetoi	2100		Curri una	i / waa	וכוטוק	unction	CHUIC

Selector® 3780 Series	Function Description	Primary Lock	Outside Cylinder Cam/Adaptor	Inside Cylinder Cam/ Adaptor	Kit
Selector® Privacy Locks					
3782-TSS	Escape Privacy Lock	3782TSS	-	3772-ADAPTOR	
3782-TASS	Anti-lockout Escape Privacy Lock	3782TSS	-	3772-ADAPTOR	
3784-TSS	Privacy Lock	3782TSS	-	3772-ADAPTOR	
3784-TASS	Anti-lockout Privacy Lock	3782TSS	-	3772-ADAPTOR	
3787-TSS	Key Entry Privacy Lock	3782TSS	3787 SPINDLE CAM	3772-ADAPTOR	3787-KIT570E
3787-TASS	Key Entry Anti-lockout Privacy Lock	3782TSS	3787 SPINDLE CAM	3772-ADAPTOR	3787-KIT570E

Selector® 3782 DX Digital Locks								
3782DX-SS	DX Mechanical Digital Mortice Lock	3782SS	3770-ADAPTOR	-	3782-DXKITSC			
3782DXVSS#	DX Mechanical Digital Mortice Lock with Internal Cylinder	3782SS	3770-ADAPTOR	V	3782-DXKITSC			
3782DXKO-SS	DX Mechanical Digital Mortice Lock with Key Override	3782SS	3770-ADAPTOR, 3787 SPINDLE CAM	-	3782-DXKOKITSC			
3782DXKOVSS#	DX Mechanical Digital Mortice Lock with Key Override and Internal Cylinder	3782SS	3770-ADAPTOR, 3787 SPINDLE CAM	V	3782-DXKOKITSC			

Note: Items in Italics are Primary Locks and can be purchased from ASSA ABLOY.

 $\#Lock\ function\ suitable\ for\ holdback\ application.\ Holdback\ can\ be\ activated\ at\ any\ time\ -\ unless\ anti-lockout\ is\ selected.$

 $Cylinders \ sold\ separately, purchased\ configurations\ include\ adaptors\ as\ required.$

Only 30mm and 38mm backset locks are suitable in DXs configurations on opening in doors.



Synergy Series Conversion Chart

Synergy Serie	es Conversion C	:hart	
Synergy Series	Selector® 3780 Series	Function Description	Note
Escape Locks			
3582SC	3782SS	Escape Lock	
3582-ASC			3782 series primary lock has anti-lockout functionality. To set anti-lockout function, refer to setting and operating instructions.
3582-T#SC	3782-TSS	Escape Privacy Lock	
3582WA#SC	3782VTASS	Anti-lockout Anti-vandal Escape Lock with Turn	V cam has the functionality of locking lock just as the W cam. V cam also retracts bolt after unlocking lock.
3582WT#SC	3782VTSS	Anti-vandal Escape Lock with Turn	\mbox{V} cam has the functionality of locking lock just as the W cam. \mbox{V} cam also retracts bolt after unlocking lock.
3582X-#SC	3782X-SS	Key Entry Escape Lock	X7 cam has the functionality of retracting bolt and locking lock. Does not have unlocking functionality.
3582XT#SC	3782XTSS	Key Entry Escape Lock with Turn	X7 cam has the functionality of retracting bolt and locking lock. Does not have unlocking functionality.
3582XZ#SC	3782XVSS	Key Entry Escape Lock with Internal Cylinder	V cam has the functionality of locking lock just as the Z cam. V cam also retracts bolt after unlocking lock. X7 cam has the functionality of retracting bolt and locking lock. Does not have unlocking functionality.
3582-Z#SC	3782-VSS	Escape Lock with Internal Cylinder	Vcam has the functionality of locking lock just as the Z cam. $Vcam$ also retracts bolt after unlocking lock.
3582Z-#SC	3782V-SS	Anti-vandal Escape Lock	V cam has the functionality of locking lock just as the Z cam. V cam also retracts bolt after unlocking lock.
Combination Loc	ks		
3584ET#SC	3784-TSS	Combination Lock with Turn	
3584#SC	3784SS	Passage Latch	
3584-T#SC	3784-TSS	Combination Lock with Turn	
3584WT#SC	3784VTSS	Anti-vandal Lock with Turn	V cam has the functionality of locking lock just as the W cam. V cam also retracts bolt after unlocking lock.
3584XX#SC	3784XXSS	Key Entry Double Cylinder Lock	X7 cam has the functionality of retracting bolt and locking lock. Does not have unlocking functionality.
3584XZ#SC	3784XVSS	Key Entry Lock with Internal Cylinder	V cam has the functionality of locking lock just as the Z cam. V cam also retracts bolt after unlocking lock. X7 cam has the functionality of retracting bolt and locking lock. Does not have unlocking functionality.
3584Z-#SC	3784V-SS	Anti-vandal Lock	\mbox{V} cam has the functionality of locking lock just as the \mbox{Z} cam. \mbox{V} cam also retracts bolt after unlocking lock.
3584ZZ#SC	3784VVSS	Anti-vandal Lock with Internal Cylinder	V cam has the functionality of locking lock just as the Z cam. V cam also retracts bolt after unlocking lock.

Timber Fixing

3592SC


For timber fixing, specify the lock with an additional line 3782-TFKITxx where xx designates the required finish.

Selector® 3780 Series Short Backset **Mortice Locks Functioning Matrix**

Functioning Matrix

Sample part number 3782VTASS is made up of seven elements.

The description of this part number is an Anti-lockout Anti-vandal escape lock with cylinder and turn in satin stainless steel finish. Choose your product by selecting an option from each element.



	Tuncu	511	Function	lockout Selection	ı	11111311
8		2	VT	А		SS
Sub Functi	on		Anit-locko	ut Selection		
e.g. Outside			Neutral			
V	T		Anti-lockou	ıt	Α	
Locking and Cylinder witl		V	Finish			
Latching Cyli with X7 Cam		Х	Stainless St	eel	SS	
Turnbutton /	Adaptor	Т				
No Sub Func	tion	_				
DX Digital		DX				
DX Digital w Key Override		DXKO				

Code

1. Backset: Nominate backset as required, for example 3 = 23mm backset.

2. Function: Select function, for example 782 = Escape Lock

3. Sub Function: Determine sub function requirements

for both exterior and interior.

For example:

Exterior – Locking function required – specify V (cylinder).

Interior – Turnknob function required – specify T

(turnbutton adaptor).

4. Anti-lockout Selection: Determine if anti-lockout

function is needed.

For example:

Anti-lockout - Specify A

5. Finish: Select appropriate finish, e.g. SS

Other finishes available by specifying finish kits.

ľ	10tcs	
_		
_		
_		
_		
_		
_		
_		
_		
_		
_		
_		
_		
_		
_		



Notes



We take the worry out of protecting what's valuable to you.

Lockwood: no worries®





Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial, semi-commercial, building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.



The Lockwood 25 Year Mechanical Warranty

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit www.lockweb.com.au or call 1300WARRANTY

ASSA ABLOY Australia Pty Ltd 235 Huntingdale Road Oakleigh, Victoria, 3166 Australia

1300 LOCK UP (1300 562 587) lockweb.com.au

ASSA ABLOY New Zealand Ltd 6 Armstrong Road Albany, Auckland, 0632 New Zealand

info.nz@assaabloy.com Telephone +64 9415 7111 assaabloy.co.nz

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication,

